

Boxtel MKII



Product Overview

Boxtel MKII is a professional studio Telephone Hybrid designed to meet the most demanding Radio and TV broadcasting requirements.

Boxtel MKII is one of the most useful outdoor telephone connection tools ever thanks to his small size,

easy installation and operation, and the voltage supply directly provided by the telephone line.

Boxtel MKII can be easily connected with the most popular mixing consoles, and it is suited both for

open-air and studio applications, due to additional remote control feature and balanced connections

with automatic line compensation.

Boxtel MKII comes in a rugged inox steel case in order to be the perfect companion for any live or studio broadcaster.

Features like meters, internal PSU, country setting, great S/N ratio and filters make of Boxtel MKII the coolest Telephone Interface for his market segment.

Models

Highlights

General

Pro & Cost effective

POTS/PSTN (Boxtel MKII) and GSM (Boxtel

MKII GSM)

Input & Output

Balance analog input on XLR

Input gain section with led meter

visualization

1



Clear audio and natural sound Balance analog output on XLR Compact & heavy-duty Ouput gain section with led meter visualization Aluminiun box RJ11 connector for POTS line connection 19" 1RU adapter (optional) RJ11 connector for Tel Set connection Remote control from any mixing console DB9 – 2 GPI and 2 GPO Automatic line compensation Software remote control with USB port Software interface functions Send/Receive audio level adjustment Internal DTMF Dialer Auto-answer/disconnect Hook ON/OFF control Balanced audio input & output on XLR Hold Function Remote control interface Telephone Set enable/disable Built in Buzzer for incoming calls RX Gain PAD 0/+6/+12 Internas PSU 90-260 Vac 50/60Hz on VDE Ring - Mute/ON connector Impedence Settings -Europe/USA/Africa/Chine

GPIO - Enable/Disable

Auto Hook - Enable/Disable

External command

Special Features

Boxtel MKII is a telephone hybrid specially designed to be connected with mixing consoles and to control

phone lines.

Boxtel MKII can manage a telephone line POTS/PSTN, while BoxTel GSM can manage a GSM telephone

line to ensure telephone connection where hardwire-phone line is not available.

BoxTel MKII and BoxTel GSM have an internal microcontroller that allow to configure via software the 2



working mode.

Internal microcontroller has many other functions such as: telephone impedance according to the


region, Send/Receive audio levels visualization (on a front led), line detection (telephone line detection),


adjustable buzzer level, AutoHook.


Thanks to backlight Hook/Ring button, on front panel, it is possible to hang up after a given number of

phone rings.

Dimensions







3